



AS-64B

雙缸運輸帶式洗碗碟機
Double Tank
Conveyor Type Dishwasher

AS-64B

雙缸運輸帶式洗碗碟機

Double Tank Conveyor Type Dishwasher

卓滙洗碗碟機特色

CHAMPION Dishwasher with Excellent Characteristics



環保節能

ENVIRONMENTAL
ENERGY SAVING

環保節能設計，節省用水量和耗電量，達致最高經濟效益。

The green-design is focus on reducing consumption of water and energy, in order to achieve economic efficiency.



穩定耐用

STABLE AND DURABLE

全機採用SUS 304 1.5mm不鏽鋼結構及機械式控制設計，於高溫及潮濕的環境中亦應能發揮超高耐用性及穩定性。

The construction adopt SUS 304 1.5mm stainless steel and mechanical control. Durability and stability can be maintained even in high temperature and moisture environment.



高效運作

HIGH EFFICIENCY

高速設計及強勁水力輸出，提升洗滌效率，減省人手。

High speed design and strong washing power, enhance the washing efficiency and manpower saving.



國際認可

INTERNATIONAL
RECOGNITION

CHAMPION洗碗碟機全系列獲國際認可，符合國際食品安全及衛生標準；認可設備於材料、易潔度、溫度、時間、水壓、運作設計等、各方面均達到國際標準。

CHAMPION Dishwasher complied with the international standard of food safety and hygiene, approved by HACCP which achieved the standard of material used, washable, temperature, time, water pressure and operation, hygiene and safety image enhanced.



國際廠房

INTERNATIONAL
MANUFACTORY

首家港資公司創立國際性廠房，全線洗碗碟機在嚴密的工序及監控下生產；從技術研發，原材料選材，流程設計，質量管理及控制都一絲不苟。

The first international dishwashers' manufactory financed and managed by Hong Kong Company. The full series of dishwashers are manufactured under rigorous procedures and inspection, from research and development, materials selection, procedure design, to quality control.



簡單易用

SIMPLE TO USE

採用簡易操作系統，一按式啟動及自動化操作，任何用家操作自如。

Adopt user friendly operation system. "One-Button" activation and automatic operation are easy for any users to control.

信心保證 Quality Assurance

- 食品安全認證 HACCP International Food Safety Certificate 
- CSA認證  Certificate
- 歐盟認證  Certificate
- 質量管理認證 Quality Management System  ISO 9001:2018 Certificate
- 香港政府食物環境衛生署認可牌照 HKSAR Food and Environmental Hygiene Dept. Approved Certificate



卓越設計功能 AS-64B Excellent Design



▲ 採用內凹式噴孔設計，有效阻隔垃圾及食物渣滓，避免噴孔受到阻塞，並加強清洗能力和擴闊噴洗範圍。

Debossed anti-dlog nozzles provides powerful washing performance, strainer pans and baskets can separate the food soils and trash in order to avoid any nozzle blockage.




▼ 採用運輸帶式設計，加快餐具運輸速度，提升洗滌效率。

Enhance washing efficiency and result by the design of double tank conveyor application which accelerate the speed of cutlery transportation and fulfill high cutlery consumption.

▲ 全自動機械化控制功能，減省人手運作，透過簡易操作提高運作效能。

Cost of human resources is reduced by fully automatic mechanical operation. Improved operational efficiency by easy operation.



▲ 電控箱及水泵過荷保護設置於較乾燥的機頂位置，減少與水源接觸的機會，避免因濺濕導致機件故障及危險。

Lower the chance of the machine breakdown and avoid any safety issues happen by the mechanical control panel and wash pump equipped with overload protection and located on the top of the machine which can reduce water contact caused.

▼ 重工齒輪式馬達傳送系統，連防障礙和過荷保護
Heavy duty gear box conveyor system with jam and overload protection



▼ 採用ABB合金強勁水泵摩打，並配合耐用不銹鋼車葉，加強穩定過水溫度，保證消毒效果；同時採用雙溫控設計技術，有效地節省能源運用。
ABB pump motor & alloy impeller guarantee maximum durability, and dual thermostat technology provided with stabilized high temperature sterilization and energy saving.



🔧 技術規格 Technical Data

外形尺寸 Size	1652 (W) x 695 (D) x 1913 (H) mm
離牆尺寸 Clearance from the wall	140 mm
開門高度 Door Opening Height	1950 mm
機器淨重 Net Weight	340 kg
膠籐尺寸 Rack Size	500 (W) x 500 (D) mm
最大洗滌量 Machine Capacity	268 籐 Racks / 小時 Hour
最高洗滌高度 Loading Height	450 mm
水缸容量 Tank Capacity	166 L
每籐耗水量 Rinse Usage	2.2 L / 籐 Rack
建議流動水壓 Suggested Dynamic Water Pressure	1.2 Bar
主洗水缸加熱功率 Wash Tank Heater	15 kW + 15 kW
主洗水泵功率 Wash Pump Power	1.5 kW (2 HP) + 1.5 kW (2 HP)
運輸帶馬達功率 Conveyor Motor	0.5 kW
內置電熱水爐功率 Internal Booster Heater	5.4 kW
總耗電功率 Electrical Loading	38.9 kW (60 Amp)
供電要求 Power Supply	380 V / 50 Hz / 3 Phase (80 Amp)

上述資料只供參考，如有更新改進，恕不另行通知。
Above data is for information purposes only. Specifications subject to change without prior notice.

AS-64B

雙缸運輸帶式洗碗碟機
Double Tank Conveyor Type Dishwasher

透視圖
Perspective


運作圖 Operation Diagram



標準式運作圖
Standard Type Operation

高流量運作圖
High Volume Operation

透視圖 Perspective



原廠一站式服務 Manufacturer One-Stop Services

我創造 · 我重視
We Make · We Care

從設計流程開始，直至售後支援服務，卓滙都細心關顧客戶所需。
We care about our customers and take care of anything starting from design, after-sale and maintenance services.



售後服務才是我們的開始 Post-sales Service is where our Business start.



專業顧問團隊
Professional Consulting Team



衛生諮詢培訓
Hygiene Consultation & Training



安心檢查維護
Secure Maintenance Service



流動工程車隊
Engineering Motorcade



充裕零件供應
Sufficient Spare Parts Supply

卓滙集團
Champion Group

香港
Hong Kong

☎ (852) 2475 9875
✉ enquiry_hk@champion-chem.com

中國
China

☎ (86) 0755 2821 8882
✉ enquiry_ch@champion-chem.com

澳門
Macau

☎ (853) 2823 0511
✉ enquiry_mc@champion-chem.com

台灣
Taiwan

☎ (886) 2 2643 6111
✉ enquiry_tw@champion-chem.com