



AS-F (BASKET)

長龍式洗箱籃系列
Flight Type Basket-Washing Series

AS-F (BASKET)

長龍式洗箱籃系列
Flight Type Basket-washing Series

卓滙洗碗碟機特色

CHAMPION Dishwasher with Excellent Characteristics



環保節能

ENVIRONMENTAL
ENERGY SAVING

環保節能設計，節省用水量和耗電量，達致最高經濟效益。

The green-design is focus on reducing consumption of water and energy, in order to achieve economic efficiency.



穩定耐用

STABLE AND DURABLE

全機採用SUS 304 1.5mm不鏽鋼結構及機械式控制設計，於高溫及潮濕的環境中亦應能發揮超高耐用性及穩定性。

The construction adopt SUS 304 1.5mm stainless steel and mechanical control. Durability and stability can be maintained even in high temperature and moisture environment.



高效運作

HIGH EFFICIENCY

高速設計及強勁水力輸出，提升洗滌效率，減省人手。

High speed design and strong washing power, enhance the washing efficiency and manpower saving.



國際認可

INTERNATIONAL
RECOGNITION

CHAMPION洗碗碟機全系列獲國際認可，符合國際食品安全及衛生標準；認可設備於材料、易潔度、溫度、時間、水壓、運作設計等、各方面均達到國際標準。

CHAMPION Dishwasher complied with the international standard of food safety and hygiene, approved by HACCP which achieved the standard of material used, washable, temperature, time, water pressure and operation, hygiene and safety image enhanced.



國際廠房

INTERNATIONAL
MANUFACTORY

首家港資公司創立國際性廠房，全線洗碗碟機在嚴密的工序及監控下生產；從技術研發，原材料選材，流程設計，質量管理及控制都一絲不苟。

The first international dishwashers' manufactory financed and managed by Hong Kong Company. The full series of dishwashers are manufactured under rigorous procedures and inspection, from research and development, materials selection, procedure design, to quality control.



簡單易用

SIMPLE TO USE

採用簡易操作系統，一按式啟動及自動化操作，任何用家操作自如。

Adopt user friendly operation system. "One-Button" activation and automatic operation are easy for any users to control.

信心保證 Quality Assurance

- 食品安全認證 HACCP International Food Safety Certificate 
- CSA認證  Certificate
- 歐盟認證  Certificate
- 質量管理認證 Quality Management System  ISO 9001:2018 Certificate
- 香港政府食物環境衛生署認可牌照 HKSAR Food and Environmental Hygiene Dept. Approved Certificate



洗籃箱專用功能 Basket-washing Specialized Features



▲ 360 度環繞清洗，配合雙重風切系統、專利熱回收系統、預洗除渣系統及箱籃專用不鏽鋼輸送帶，能夠有效清洗大型容器，如籃及箱等。

Due to 360° surrounding rinse arms, combining with dual sharp blower system, patented heat recovery system, pre-scraping system and stainless steel conveyor belt, AS-F Basket Series is capable of effectively washing containers with large size such as basket and box etc.



▲ 雙重風切系統為洗箱籃特製乾燥技術，先把濕氣抽走，後進入上下高壓風切系統，容器上積水瞬間噴走，使容器可快速投入生產使用。


Dual Sharp Blower System is specialized for basket drying. Stagnant water will be sprayed away promptly after dehumidification and entering dual sharp blower.



▲ 箱籃專用不鏽鋼輸送帶，能夠確保器具得到全面清洗及過水。大型煮食用具亦適用。

Stainless steel conveyor belt specialized for large containers used can ensure all-round washing and rinsing.

長龍式系列通用機能 AS-F Series General Features



▲ 設有垃圾過濾籃，易於拆卸及清洗，有效阻隔垃圾及食物渣滓，避免阻塞噴孔。

Strainer pans and baskets are easy for removal and cleaning. Strainer pans and baskets can separate the food soils and trash in order to avoid any block in nozzle.



▲ 採用內凹式噴孔設計，防堵塞，加強清洗能力和擴闊噴洗範圍。

Debossed anti-clog nozzles provide powerful washing performance.



▲ 獨有紅外線感應自動節能系統，同時控制過水、水泵和烘乾程序，減低不必要耗水量及電量。

Energy saving infrared sensor controls and activates rinse, pump and dryer, reduce water and energy consumption.

卓滙廠商獨有 Features Only in Champion



▲ 預洗除渣系統能夠自動去除器具上殘渣，再進入主洗清洗，節省入機前預刮人手，亦能無須停機情況下回收廚餘。

Pre-scraping system is able to remove food residue automatically which reduce the manual procedure of pre-washing and require no halt for cleaning the residue inside the dishwasher.




▲ 側噴裝置能夠提供側面清洗功能以確保器具得到最全面的衛生洗滌。

Side-washing parts can provide a side-washing function to ensure containers having all-round washing.



▲ 專利熱回收系統，能夠將機內廢熱循環使用，免費提昇入水溫度，達至最少30%以上節能效果，同時改善工作環境。

Patented heat recovery system is capable of increase water-in temperature by reusing the steam inside the dishwasher with no extra cost. It achieves more than 30% of energy-saving result.




▲ 機身高度及闊度能按實際清洗需求而度身訂造，以應付不同類型及大小的器具。

The height and width of the dishwasher can be tailor-made according to actual washing requirement in order to handle various type and size of containers.



▲ 機頂、機身、及機門均為雙層不鏽鋼板結構，保溫隔熱。

All surface of the dishwasher are made by dual stainless steel door in aims of achieving heat isolation.




▲ 360度環繞高溫最後過水，保證餐具達致全方位衛生清潔效果。

The final rinse part is installed with 360°surrounding rinse arms so as to ensure comprehensive rinsing and sanitizing result.

透視圖 Perspective

右圖型號為2PRD3，客戶可根據特殊需求，特別訂造加高或加闊型。

The model on right is 2PRD3. Model with extra height or width is able to be customized according to particular needs.



技術規格 Technical Data

| | |
|---------------------------------|----------------------------|
| 標準機身外圍寬度 Standard Machine Width | 914 mm |
| 標準傳送帶寬度 Standard Conveyor Width | 612 mm |
| 標準洗滌高度 Standard Loading Height | 450 mm |
| 傳送速度 Conveyor Speed | 1.6m / min - 3.0m / min |
| 水缸容量 Tank Capacity | 92 L/ Tank (缸) |
| 最大耗水量 Max. Rinse Usage | 360 L / hr (小時) |
| 供電要求 Power Supply | 380 V / 50 Hz / 3 / N / PE |

上述資料只供參考，如有更新改進，恕不另行通知。
Above data is for information purposes only. Specifications subject to change without prior notice.

客製化規格 Customisable Specification


可根據客戶之實際需求，按以下列表選配合適的組合，更能特別訂造加高或加闊型
Models with different sizes and functions are able to be customized according to your particular needs

| 組件 Component | 部件名稱 Component parts | 長度 Length (mm) | 功率 (電) Power (Electricity) | 抽風量要求 Exhaust Air Rate (cfm) |
|-------------------------|--|-------------------|--|---------------------------------|
| 進口段 Entry | | | | |
| 1 | 進口 (迷你版) Entry (Mini) | 750 | ---- | 1600 |
| 2 | 進口 (標準版) Entry (Standard) | 950 | ---- | |
| 3 | 進口 (加長版) Entry (Extended) | 1150 | ---- | |
| 4 | 進口 (特長版) Entry (Extra) | 1350 | ---- | |
| 清洗段 Wash | | | | |
| W | 預洗除渣段 Pre-wash & Pre-scrub | 800 | 洗水泵 Wash Pump Motor 2.2 kW | ---- |
| P | 預洗缸 Pre-wash | 800 | 洗水泵 Wash Pump Motor 2.2 kW | |
| A | 主洗缸 Wash Tank | 800 | 洗水泵 Wash Pump Motor 洗水缸發熱線 Wash Tank Heater 9 kW / 15 kW / 20 kW / 25 kW | |
| B | 雙主洗缸 Double Wash Tanks | 1600 | 洗水泵 Wash Pump Motor 洗水缸發熱線 Wash Tank Heater 4.4 kW 18kW / 30 kW / 40 kW / 50 kW | |
| C | 三主洗缸 Triple Wash Tanks | 2400 | 洗水泵 Wash Pump Motor 洗水缸發熱線 Wash Tank Heater 6.6 kW 27kW / 45 kW | |
| 過水段 Rinse | | | | |
| R | 雙過水缸 Double Rinse | 600 | 過水加熱器 Rinse Booster 過水馬達 Rinse Motor 45 kW 0.25 kW | 1200 |
| RG | 熱回收雙過水段 Double Rinse with Heat Recovery | 600 | 過水加熱器 Rinse Booster 過水馬達 Rinse Motor 熱回收系統 Heat Recovery System 45 kW 0.25 kW 0.37 kW | 800 |
| K | 抽濕緩衝段 Dehumidifier | 300 | | 1200 |
| 烘乾段 Dryer | | | | |
| D | 環迴烘乾段 360 Degree Dryer | 800 | 烘乾段馬達 Dryer Motor 烘乾段發熱線 Dryer Heater 1.5 kW 13.5 kW | ---- |
| DX | 雙重環迴烘乾段 Dual 360 Degree Dryer | 1200 | 烘乾段馬達 Dryer Motor 烘乾段發熱線 Dryer Heater 3 kW 27 kW | |
| 冷風刀 Sharp Blower | | | | |
| S | 上下冷風段 Up-Bottom Sharp Blower | 800 | 冷風刀馬達 Sharp Blower Motor 5.9 kW | ---- |
| SX | 雙重上下冷風段 Dual Sharp Blower | 1900 | 冷風刀馬達 Sharp Blower Motor 11.8 kW | |
| 出口段 Exit | | | | |
| 1 | 出口 (迷你版) Exit (Mini) | 1000 | 運輸帶馬達 Conveyor Motor 0.55 kW | 800 |
| 2 | 出口 (標準版) Exit (Standard) | 1300 | | |
| 3 | 出口 (加長版) Exit (Extended) | 1600 | | |
| 4 | 出口 (特長版) Exit (Extra) | 1900 | | |

原廠一站式服務 Manufacturer One-Stop Services

我創造 · 我重視
We Make · We Care

從設計流程開始，直至售後支援服務，卓滙都細心關顧客戶所需。
We care about our customers and take care of anything starting from design, after-sale and maintenance services.



售後服務才是我們的開始 Post-sales Service is where our Business start.



專業顧問團隊
Professional Consulting Team



衛生諮詢培訓
Hygiene Consultation & Training



安心檢查維護
Secure Maintenance Service



流動工程車隊
Engineering Motorcade



充裕零件供應
Sufficient Spare Parts Supply

卓滙集團
Champion Group

香港
Hong Kong

☎ (852) 2475 9875
✉ enquiry_hk@champion-chem.com

中國
China

☎ (86) 0755 2821 8882
✉ enquiry_ch@champion-chem.com

澳門
Macau

☎ (853) 2823 0511
✉ enquiry_mc@champion-chem.com

台灣
Taiwan

☎ (886) 2 2643 6111
✉ enquiry_tw@champion-chem.com